

X. REFERENCES

- AFCEE (with Howes, B.L. & Jacobs Engineering). 2000. Ashumet Pond Trophic Health Technical Memorandum. AFCEE/MMR Installation Restoration Program, AFC-J23-35S18402-M17-0005, 210pp.
- Aubrey Consulting Inc., 1996. Tidal Flushing within the East Bay/Centerville River Estuary: Existing Conditions and Effects of Proposed Dredging. Final Report, prepared for the Town of Barnstable, MA., 41 pp.
- Brawley, J.W., G. Collins, J.N. Kremer, C.-H. Sham, and I. Valiela. 2000. A time-dependent model of nitrogen loading to estuaries from coastal watersheds. *Journal of Environmental Quality* 29:1448-1461.
- Brigham Young University, 1998. "User's Manual, Surfacewater Modeling System."
- Burns, K., M. Ehrhardt, B. Howes and C. Taylor., 1993. Subtidal benthic community respiration and production rates near the heavily oiled coast of Saudi Arabia. *Marine Pollution Bull.* 27:199-205.
- Cambareri, T.C. and E.M. Eichner, 1998. Watershed Delineation and Ground Water Discharge to a Coastal Embayment. *Ground Water*. 36(4): 626-634.
- Cape Cod Commission, 1998. "Cape Cod Coastal Embayment Project." Barnstable, MA.
- Cape Cod Commission Water Resources Office, 1991. Technical Bulletin 91-001, Nitrogen Loading.
- Cape Cod Commission Water Resources Office, 1998. Cape Cod Coastal Embayment Project Interim Final Report.
- Cape Cod Commission, 1998. Cape Cod Coastal Embayment Project: A Nitrogen Loading Analysis of Popponesset Bay. Cape Cod Commission Technical Report.
- Cape Cod Commission. 1996. Regional Policy Plan. Cape Cod Commission, Barnstable, MA.
- Cape Cod Commission. 2001. Regional Policy Plan. Cape Cod Commission, Barnstable, MA.
- Costa, J.E., B.L. Howes, I. Valiela and A.E. Giblin. 1992. Monitoring nitrogen and indicators of nitrogen loading to support management action in Buzzards Bay. In: McKenzie et al. (eds.) *Ecological Indicators*, Chapter. 6, pp. 497-529.
- Costa, J.E., G. Heufelder, S. Foss, N.P. Millham, B.L. Howes. 2002. Nitrogen Removal Efficiencies of Three Alternative Septic System Technologies and a Conventional Septic System. *Environment Cape Cod* 5(1): 15-24.
- D'Elia, C.F, P.A. Steudler and N. Corwin. 1977. Determination of total nitrogen in aqueous samples using persulfate digestion. *Limnology and Oceanography* 22:760-764.

- DeSimone, L.A. and B.L. Howes. 1996. Denitrification and nitrogen transport in a coastal aquifer receiving wastewater discharge. *Environmental Science and Technology* 30:1152-1162.
- Draft Environmental Impact Report (DEIR)/Development of Regional Impact. Centerville River Dredging and Craigville Beach Nourishment, Woods Hole Group, Inc. December 2003
- Dyer, K.R., 1997. *Estuaries, A Physical Introduction*, 2nd Edition, John Wiley & Sons, NY, 195 pp.
- Eichner, E.M. and T.C. Cambareri, 1992. Technical Bulletin 91-001: Nitrogen Loading. Cape Cod Commission, Water Resources Office, Barnstable, MA. Available at: <http://www.capecodcommission.org/regulatory/NitrogenLoadTechbulletin.pdf>
- Eichner, E.M., T.C. Cambareri, G. Belfit, D. McCaffery, S. Michaud, and B. Smith, 2003. *Cape Cod Pond and Lake Atlas*. Cape Cod Commission. Barnstable, MA.
- Eichner, E.M., T.C. Cambareri, K. Livingston, C. Lawrence, B. Smith, and G. Prahm, 1998. *Cape Coastal Embayment Project: Interim Final Report*. Cape Cod Commission, Barnstable, MA.
- Fischer, H. B., List, J. E., Koh, R. C. Y., Imberger, J., and Brooks, N. H. (1979). *Mixing in inland and coastal waters*. Academic. San Diego.
- FitzGerald, D.M., 1993. "Origin and Stability of Tidal Inlets in Massachusetts." In: *Coastal and Estuarine Studies: Formation and Evolution of Multiple Tidal Inlets, Volume 29, Symposium on Hydrodynamics and Sediment Dynamics of Tidal Inlets* (D. G. Aubrey and G.S. Geise, eds.). American Geophysical Union, Washington, D.C. pp. 1-61.
- Frimpter, M.H., J.J. Donohue, M.V. Rapacz. 1990. A mass-balance nitrate model for predicting the effects of land use on groundwater quality. U.S. Geological Survey Open File Report 88:493.
- Geise, G.S., 1988. "Cyclical Behavior of the Tidal Inlet at Nauset Beach, Massachusetts: Application to Coastal Resource Management." In: *Lecture Notes on Coastal and Estuarine Studies, Volume 29, Symposium on Hydrodynamics and Sediment Dynamics of Tidal Inlets* (D. Aubrey and L. Weishar, eds.), Springer-Verlag, NY, pp. 269-283.
- Hamersley, R.M. and B. Howes, 2004. *Nitrogen Fluxes and Mitigation Strategies in the Audubon Skunknet River Wildlife Sanctuary*. Report to the Town of Barnstable
- Harbaugh, A.W. and McDonald, M.G., 1996. *User's Documentation for MODFLOW-96, an update to the U.S. Geological Survey Modular Finite-Difference Ground-Water Flow Model*: U.S. Geological Survey Open-File Report 96-485, 56p.
- Henderson, F. M., 1966. *Open Channel Flow*. Macmillan Publishing Company, New York. pp. 96-101.

- Howes B.L. 1998. Sediment metabolism within Massachusetts Bay and Boston Harbor relating to rates and controls of sediment-water column exchanges of nutrients and oxygen in 1997. Boston: Massachusetts Water Resources Authority. Report 1998-20. 80 p
- Howes, B.L. and D.D. Goehring. 1997. Falmouth's Coastal Salt Ponds. Falmouth Pondwatch Program, 1987-1996.
- Howes, B.L., R.I. Samimy and B. Dudley, 2003. Massachusetts Estuaries Project, Site-Specific Nitrogen Thresholds for Southeastern Massachusetts Embayments: Critical Indicators Interim Report
- Howes, B.L., J.S. Ramsey and S.W. Kelley, 2001. Nitrogen modeling to support watershed management: comparison of approaches and sensitivity analysis. Final Report to MA Department of Environmental Protection and USEPA, 94 pp. Published by MADEP.
- Howes B., S. W. Kelley, J. S. Ramsey, R. Samimy, D. Schlezinger, J. Wood, E. Eichner (2004). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for Popponesset Bay, Mashpee and Barnstable, Massachusetts. Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes B., S. W. Kelley, J. S. Ramsey, R. Samimy, D. Schlezinger, E. Eichner (2003). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for Stage Harbor, Sulphur Springs, Taylors Pond, Bassing Harbor and Muddy Creek, Chatham, Massachusetts. Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes B.L., J. Ramsey, E.M. Eichner, R.I. Samimy, S. W. Kelley, D.R. Schlezinger (2005). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for the Oyster Pond System, Falmouth, MA. SMAST/DEP Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes B.L., J. Ramsey, E.M. Eichner, R.I. Samimy, S. W. Kelley, D.R. Schlezinger (2005). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for the Three Bays System, Barnstable, MA. SMAST/DEP Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes, B.L. and J.M. Teal. 1995. Nitrogen balance in a Massachusetts cranberry bog and its relation to coastal eutrophication. *Environmental Science and Technology* 29:960-974.
- Jorgensen, B.B. 1977. The sulfur cycle of a coastal marine sediment (Limfjorden, Denmark). *Limnology Oceanography*, 22:814-832.
- King, Ian P., 1990. "Program Documentation - RMA2 - A Two Dimensional Finite Element Model for Flow in Estuaries and Streams." Resource Management Associates, Lafayette, CA.
- Klump, J. and C. Martens. 1983. Benthic nitrogen regeneration. In: *Nitrogen in the Marine Environment*, (Carpenter & Capone, eds.). Academic Press.
- Koppelman, L.E. (Ed.). 1978. The Long Island comprehensive waste treatment management plan. Vol II. Summary documentation report, Long Island Regional Planning Board, Hauppauge, N.Y.

- Lindeburg, Michael R., 1992. *Civil Engineering Reference Manual, Sixth Edition*. Professional Publications, Inc., Belmont, CA.
- Massachusetts Department of Environmental Protection, 1999. DEP Nitrogen Loading Computer Model Guidance. Bureau of Resource Protection. Boston, MA. Available at: <http://www.state.ma.us/dep/brp/dws/techttool.htm>
- Massachusetts Department of Revenue. November, 2002. Property Type Classification Codes.
- Masterson, J.P., Walter, D.A., Savoie, J., 1996, Use of particle tracking to improve numerical model calibration and to analyze ground-water flow and contaminant migration, Massachusetts Military Reservation, western Cape Cod, Massachusetts: U.S. Geological Survey Open-File Report 96-214, 50 p.
- Millham, N.P. and B.L. Howes, 1994a. Freshwater flow into a coastal embayment: groundwater and surface water inputs. *Limnology and Oceanography* 39: 1928-1944.
- Millham, N.P. and B.L. Howes, 1994b. Patterns of groundwater discharge to a shallow coastal embayment. *Marine Ecology Progress Series* 112:155-167.
- Murphy, J. and J.P. Reilly, 1962. A Modified Single Solution Method for the Determination of Phosphate in Natural Waters. *Analytica Chemica Acta*, v. 27, p. 31-36
- Nelson, M.E., S.W. Horsley, T.C. Cambareri, M.D. Giggey and J.R. Pinnette. 1998. Predicting nitrogen concentrations in groundwater- An analytical model. Focus Conference on Eastern Groundwater Issues, National Water Well Association, Stamford, CT.
- Norton, W.R., I.P. King and G.T. Orlob, 1973. "A Finite Element Model for Lower Granite Reservoir", prepared for the Walla Walla District, U.S. Army Corps of Engineers, Walla Walla, WA.
- Oldale, R.N. 1974a. Geologic Map of the Hyannis Quadrangle, Barnstable County, Cape Cod, Massachusetts. US Geological Survey Map GQ-1158. US Geological Survey, Reston, VA.
- Oldale, R.N. 1974b. Geologic Quadrangle Maps of the United States, Geologic Map of the Dennis Quadrangle, Barnstable County, Cape Cod, Massachusetts. US Geological Survey Map GQ-1114. US Geological Survey, Washington, DC.
- Pollock, D.W., 1994. User's Guide to MODPATH/MODPATH_PLOT, version 3 – A particle tracking post-processing package for MODFLOW, the U.S. Geological Survey modular three dimensional finite-difference ground-water-flow-model: U.S. Geological Survey Open-File Report 94-464, [variously paged].
- Ramsey, J.S., B.L. Howes, S.W. Kelley, and F. Li, 2000. "Water Quality Analysis and Implications of Future Nitrogen Loading Management for Great, Green, and Bournes Ponds, Falmouth, Massachusetts." *Environment Cape Cod*, Volume 3, Number 1. Barnstable County, Barnstable, MA. pp. 1-20.

- Ramsey, John S., Jon D. Wood, and Sean W. Kelley, 1999. "Two Dimensional Hydrodynamic Modeling of Great, Green, and Bourne Ponds, Falmouth, MA." Applied Coastal Research and Engineering, Inc. report prepared for the Town of Falmouth and Horsley & Witten, Inc. 41 pp.
- Ramsey, J.S., B.L. Howes, N.P. Millham, and D. Bourne. 1995. Hydrodynamic and water quality study of West Falmouth Harbor, Falmouth MA. Aubrey Consulting Inc. Technical Report for Town of Falmouth, pp. 81.
- Rhoads, D.C. and J.D. Germano. 1986. Interpreting long-term changes in benthic community structure: a new protocol. *Hydrobiologia* 142:291-308
- Robertson, W.D., J.D. Cherry, and E.A. Sudicky. 1991. ³Ground-Water Contamination from Two Small Septic Systems on Sand Aquifers.² *Ground Water*. 29(1): 82-92.
- Ryther, J.H., and W.M. Dunstan. 1971. Nitrogen, phosphorous and eutrophication in the coastal marine environment. *Science*, 171:1008-1012.
- Scheiner, D. 1976. Determination of ammonia and Kjeldahl nitrogen by indophenol method. *Water Resources* 10: 31-36.
- Smith, R.L., B.L. Howes and J.H. Duff. 1991. Denitrification in nitrate-contaminated groundwater: occurrence in steep vertical geochemical gradients. *Geochimica Cosmochimica Acta* 55:1815-1825.
- Smith, K.N. and B.L. Howes, 2006. Attenuation of watershed nitrogen by a small New England salt marsh. Manuscript in review.
- Stearns and Wheler. 2007. Town of Barnstable Final Wastewater Facilities Plan, Final Environmental Impact Report and Notice of Project Change. Hyannis, MA.
- Taylor, C.D. and B.L. Howes, 1994. Effect of sampling frequency on measurements of seasonal primary production and oxygen status in near-shore coastal ecosystems. *Marine Ecology Progress Series* 108: 193-203.
- Tetra Tech EM Inc. 2005. Cape Cod Nutrient Loading Study: Watershed nitrogen loads to Lewis Bay, Parker's River and Swan Pond. Final Project Report, Project Number 01-03/MWI, pp. 76.
- US Army Corps of Engineers, Engineer Research and Development Center, Waterways Experiment Station, Coastal and Hydraulics Laboratory, Users Guide To RMA4 WES Version 4.5, June 05, 2001.
- USGS web site for groundwater data for Massachusetts and Rhode Island:
http://ma.water.usgs.gov/ground_water/ground-water_data.htm
- Van de Kreeke, J., 1988. "Chapter 3: Dispersion in Shallow Estuaries." In: *Hydrodynamics of Estuaries, Volume I, Estuarine Physics*, (B.J. Kjerfve, ed.). CRC Press, Inc. pp. 27-39.

- Walter, D.A., A. Whealan (2004). Simulated Water Sources and Effects of Pumping on Surface and Ground Water, Sagamore and Monomoy Flow Lenses, Cape Cod, Massachusetts. USGS Scientific Investigations Report 2004-5181
- Weiskel, P.K. and B.L. Howes, 1991. Quantifying Dissolved Nitrogen Flux Through a Coastal Watershed. *Water Resources Research*, Volume 27, Number 11, Pages 2929-2939.
- Weiskel, P.K. and B.L. Howes, 1992. Differential Transport of Sewage-Derived Nitrogen and Phosphorous through a Coastal Watershed. *Environmental Science and Technology*, Volume 26. Pages 352-360
- Wood, J.D., J.S. Ramsey, and S. W. Kelley, 1999. "Two-Dimensional Hydrodynamic Modeling of Barnstable Harbor and Great Marsh, Barnstable, MA." Applied Coastal Research and Engineering, Inc. report prepared for the Town of Barnstable. 28 pp.
- Zimmerman, J.T.F., 1988. "Chapter 6: Estuarine Residence Times." In: *Hydrodynamics of Estuaries*, Volume I, Estuarine Physics, (B.J. Kjerfve, ed.). CRC Press, Inc. pp. 75-84.