

IX. REFERENCES

- AFCEE (with Howes, B.L. & Jacobs Engineering). 2000. Ashumet Pond Trophic Health Technical Memorandum. AFCEE/MMR Installation Restoration Program, AFC-J23-35S18402-M17-0005, 210pp.
- Final Ecological Quarterly Data Summary Report: Fall 1997. (published 3/98) Massachusetts Military Reservation, Plume Response Program. Prepared by Jacobs Engineering Group, Inc., Otis ANGB, MA. Prepared for AFCEE/MMR, IRP.
- Aubrey, D.G., McSherry, T.R., Eliet, P.P. (1993). "Effects of Multiple Inlet Morphology on Tidal Exchange: Waquoit Bay, Massachusetts." in Coastal and Estuarine Studies; 44, Formation and Evolution of Multiple Tidal Inlets, D.G. Aubrey and G.S. Geise eds. American Geophysical Union, Washington D.C. pp. 213-236.
- Brawley, J.W., G. Collins, J.N. Kremer, C.H. Sham, and I. Valiela. 2000. A time-dependent model of nitrogen loading to estuaries from coastal watersheds. *Journal of Environmental Quality* 29:1448-1461.
- Brigham Young University, 1998. "User's Manual, Surfacewater Modeling System."
- Cambareri, T.C. and E.M. Eichner, 1998. Watershed Delineation and Ground Water Discharge to a Coastal Embayment. *Ground Water*. 36(4): 626-634.
- Cambareri, T.C., E.M. Eichner, and C.A. Griffeth. 1993. Hydrogeologic evaluation for the Waquoit Bay Land Margin Ecosystem Research Project: Characterization of the watershed and submarine groundwater discharge. Cape Cod Commission Technical Report to Massachusetts DEP and U.S.E.P.A.
- Cape Cod Commission Water Resources Office, 1991. Technical Bulletin 91-001, Nitrogen Loading.
- Cape Cod Commission Water Resources Office, 1998. Cape Cod Coastal Embayment Project Interim Final Report.
- Cape Cod Commission, 1998. "Cape Cod Coastal Embayment Project." Barnstable, MA.
- Chow, V. T. (1959). *Open Channel Hydraulics*, McGraw-Hill, NY.
- Costa, J.E., B.L. Howes, I. Valiela and A.E. Giblin. 1992. Monitoring nitrogen and indicators of nitrogen loading to support management action in Buzzards Bay. In: McKenzie et al. (eds) *Ecological Indicators*, Chapt. 6, pp. 497-529.
- Costa, J., G. Heufelder, S. Foss, N.P. Millham, and B.L. Howes. 2002. Nitrogen removal efficiencies of three alternative septic technologies and a conventional septic system. *Environment Cape Cod* 5(1):15-24.
- Curley, J.R., R.P. Lawton, J.M. Hickey and J.D. Fiske. 1971. A Study of the Marine Resources of the Waquoit Bay – Eel Pond Estuary. Technical Report by the Division of Marine Fisheries, Department of Natural Resources, Commonwealth of Massachusetts, 40 pp.
- D'Avanzo, C. J.N. Kremer, and S.C. Wainright. 1996. Ecosystem production and respiration in response to eutrophication in shallow temperate estuaries. *Marine Ecology Progress Series* 141:263-274.

- D'Elia, C.F., P.A. Steudler and N. Corwin. 1977. Determination of total nitrogen in aqueous samples using persulfate digestion. *Limnology and Oceanography* 22:760-764.
- DeSimone, L.A. and B.L. Howes. 1998. Nitrogen transport and transformations in a shallow aquifer receiving wastewater discharge: a mass-balance approach. *Water Resources Research* 34:271-285.
- DeSimone, L.A. and B.L. Howes. 1996. Denitrification and nitrogen transport in a coastal aquifer receiving wastewater discharge. *Environmental Science and Technology* 30:1152-1162.
- Dyer, K.R., 1997. *Estuaries, A Physical Introduction*, 2nd Edition, John Wiley & Sons, NY, 195 pp.
- Eichner, E.M. and T.C. Cambareri, 1992. Technical Bulletin 91-001: Nitrogen Loading. Cape Cod Commission, Water Resources Office, Barnstable, MA. Available at: <http://www.capecodcommission.org/regulatory/NitrogenLoadTechbulletin.pdf>
- Eichner, E.M., T.C. Cambareri, G. Belfit, D. McCaffery, S. Michaud, and B. Smith, 2003. Cape Cod Pond and Lake Atlas. Cape Cod Commission. Barnstable, MA.
- Eichner, E.M., T.C. Cambareri, K. Livingston, C. Lawrence, B. Smith, and G. Prahm, 1998. Cape Coastal Embayment Project: Interim Final Report. Cape Cod Commission, Barnstable, MA.
- Fischer, H. B., List, J. E., Koh, R. C. Y., Imberger, J., and Brooks, N. H. (1979). *Mixing in inland and coastal waters*. Academic. San Diego.
- FitzGerald, D.M., 1993. "Origin and Stability of Tidal Inlets in Massachusetts." In: *Coastal and Estuarine Studies: Formation and Evolution of Multiple Tidal Inlets*, Volume 29, Symposium on Hydrodynamics and Sediment Dynamics of Tidal Inlets (D. G. Aubrey and G.S. Geise, eds.). American Geophysical Union, Washington, D.C. pp. 1-61.
- Hauxwell, J., J. McClelland, P.J. Behr, and I. Valiela. 1998. Relative importance of grazing and nutrient controls of macroalgal biomass in three temperate shallow estuaries. *Estuaries*, 21:347-360.
- Harbaugh, Arlen W.; Banta, E. R.; Hill, M. C.; McDonald, M. G. 2000. Modflow-2000, the U.S. Geological Survey modular ground-water model : user guide to modularization concepts and the ground-water flow process, OFR 2000-92
- Henderson, F.M., 1966. *Open Channel Flow*. Macmillan Publishing Company, New York. pp. 96-101.
- Holland Mills Well and Pump Station Project, Mashpee, MA. Final Environmental Impact Report. EOE No. 10910. Prepared for Mashpee Water District. Earth Tech, Inc., Concord, MA.
- Howes, B.L., P.K. Weiskel, D.D. Goehring and J.M. Teal. 1996. Interception of freshwater and nitrogen transport from uplands to coastal waters: the role of saltmarshes. pp. 287-310, In: "Estuarine Shores: Hydrological, Geomorphological and Ecological Interactions (K. Nordstrom and C. Roman, Eds.). Wiley Interscience, Sussex, England.
- Howes, B.L., D.D. Goehring, N.P. Millham, D.R. Schlezinger, G.R. Hampson, C.D. Taylor and D.G. Aubrey. 1997. Nantucket Harbor Study: A quantitative assessment of the

- environmental health of Nantucket Harbor for the development of a nutrient management plan. Technical Report to the Town of Nantucket, pp. 110.
- Howes, B.L., J.S. Ramsey and S.W. Kelley, 2000. Nitrogen modeling to support watershed management: comparison of approaches and sensitivity analysis. Final Report to MA Department of Environmental Protection and USEPA, 94 pp. Published by MADEP.
- Howes, B.L., R.I. Samimy, D.R. Schlezinger, S. Kelley, J. Ramsey and E. Eichner. 2003. Massachusetts Estuaries Project: Linked Watershed-Embayment Management Model to determine critical nitrogen loading thresholds for Stage Harbor, Sulfur Springs, Taylors Pond, Bassing Harbor and Muddy Creek Systems, Chatham. Final Report to MA Department of Environmental Protection and USEPA, 353pp. Published by MADEP.
- Howes, B.L., R.I. Samimy, D.R. Schlezinger, J. Ramsey, S. Kelley, J. Wood, and E. Eichner. 2004. Massachusetts Estuaries Project: Linked Watershed-Embayment Management Model to determine critical nitrogen loading thresholds for Popponeset Bay, Mashpee and Barnstable, MA. Final Report to MA Department of Environmental Protection and USEPA, 138pp. Published by MADEP.
- Jorgensen, B.B. 1977. The sulfur cycle of a coastal marine sediment (Limfjorden, Denmark). *Limnology Oceanography*, 22:814-832.
- King, Ian P. ,1996. "Users Guide to RMA2 Version 4.2." US Army Corps of Engineers – Waterways Experiment Station Hydraulics Laboratory.
- King, Ian P., 1990. "Program Documentation - RMA2 - A Two Dimensional Finite Element Model for Flow in Estuaries and Streams." Resource Management Associates, Lafayette, CA.
- Klump, J. and C. Martens. 1983. Benthic nitrogen regeneration. In: *Nitrogen in the Marine Environment*, (Carpenter & Capone, eds.). Academic Press.
- Lindeburg, Michael R., 1992. *Civil Engineering Reference Manual, Sixth Edition*. Professional Publications, Inc., Belmont, CA.
- Massachusetts Department of Environmental Protection, 1999. DEP Nitrogen Loading Computer Model Guidance. Bureau of Resource Protection. Boston, MA. Available at: <http://www.state.ma.us/dep/brp/dws/techtool.htm>
- Massachusetts Department of Revenue. November, 2002. Property Type Classification Codes.
- McClelland, J.W. and I. Valiela. 1998. Changes in food web structure under the influence of increased anthropogenic nitrogen inputs to estuaries. *Marine Ecology Progress Series* 168:259-271.
- Millham, N.P. and B.L. Howes, 1994a. Freshwater flow into a coastal embayment: groundwater and surface water inputs. *Limnology and Oceanography* 39: 1928-1944.
- Millham, N.P. and B.L. Howes, 1994b. Patterns of groundwater discharge to a shallow coastal embayment. *Marine Ecology Progress Series* 112:155-167.
- Norton, W.R., I.P. King and G.T. Orlob, 1973. "A Finite Element Model for Lower Granite Reservoir", prepared for the Walla Walla District, U.S. Army Corps of Engineers, Walla Walla, WA.
- Oldale, R. N., 1992, *Cape Cod and the Islands: The geologic history: East Orleans, MA*, Parnassus Imprints, 208 p.

- Orson R.A. and B.L. Howes (1992). "Salt Marsh Development Studies at Waquoit Bay, Massachusetts: Influence of Geomorphology on Long-Term Plant Community Structure." *Estuarine, Coastal and Shelf Science* No. 35. pp. 453-471.
- Pollock, D.W., 1994, User's Guide to MODPATH/MODPATH_PLOT, version 3 – A particle tracking post-processing package for MODFLOW, the U.S. Geological Survey modular three dimensional finite-difference ground-water-flow-model: U.S. Geological Survey Open-File Report 94-464, [variously paged].
- Ramsey, J.S., B.L. Howes, S.W. Kelley, and F. Li, 2000. "Water Quality Analysis and Implications of Future Nitrogen Loading Management for Great, Green, and Bourne Ponds, Falmouth, Massachusetts." *Environment Cape Cod*, Volume 3, Number 1. Barnstable County, Barnstable, MA. pp. 1-20.
- Ramsey, J.S., B.L. Howes, S.W. Kelley and F. Li. 2000. Water quality analysis and implications of future nitrogen loading management for Great, Green and Bourne Ponds, Falmouth MA. *Environment Cape Cod* 3(1):1-20
- Rhoads, D.C. and J.D. Germano, 1986. Interpreting long-term changes in benthic community structure: a new protocol. *Hydrobiologia*, 142: 291-308.
- Ryther, J.H., and W.M. Dunstan. 1971. Nitrogen, phosphorous and eutrophication in the coastal marine environment. *Science*, 171:1008-1012.
- Scheiner, D. 1976. Determination of ammonia and Kjeldahl nitrogen by indophenol method. *Water Resources* 10: 31-36.
- Smith, R.L., B.L. Howes and J.H. Duff. 1991. Denitrification in nitrate-contaminated groundwater: occurrence in steep vertical geochemical gradients. *Geochimica Cosmochimica Acta* 55:1815-1825.
- Final Needs Assessment Report for Comprehensive Wastewater Management Planning Study. Prepared for Town of Chatham, Massachusetts. Stearns and Wheler, LLC, Hyannis, MA.
- Short, F. and D. Burdick. 1996. Quantifying eelgrass habitat loss in relation to housing development and nutrient loading in Waquoit Bay, MA.. *Estuaries*, 19: 730-739.
- Taylor, C.D. and B.L. Howes, 1994. Effect of sampling frequency on measurements of seasonal primary production and oxygen status in near-shore coastal ecosystems. *Marine Ecology Progress Series* 108: 193-203.
- Thieler, E.R., J.F. O'Connell, C.A. Schupp, 2001. The Massachusetts Shoreline Change Project: 1800s to 1994. Technical Report, 60 p.
- Thompson, S.M. and I. Valiela. 1999. Effect of nitrogen loading on enzyme activity of macroalgae in estuaries in Waquoit Bay. *Botanica Marina* 42.
- Tober, J.D., M.P.A. Griffin and I. Valiela. 2000. Growth and abundance of *Fundulus heteroclitus* and *Menidia menidia* in estuaries of Waquoit Bay, Massachusetts exposed to different rates of nitrogen loading. *Aquatic Ecology* 34:299-306.
- U.S. Army Corps of Engineers (1964). "Beach Erosion Control Report on Cooperative Study of Falmouth, Massachusetts." Headquarters, Department of the Army, Office of the Chief of Engineers, Washington, D.C.

- US Army Corps of Engineers (USACE), 2001. Users Guide to RMA4 WES Version 4.5. US Army, Engineer Research and Development Center, Waterways Experiment Station, Coastal and Hydraulics Laboratory, Vicksburg, MS.
- U.S.E.P.A. 2002. Waquoit Bay Watershed Ecological Risk Assessment: The effect of land-derived nitrogen loads on estuarine eutrophication. USEPA 600/R-02/079. 01 Oct 2002. U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, Washington, DC.
- USGS web site for groundwater data for Massachusetts and Rhode Island: http://ma.water.usgs.gov/ground_water/ground-water_data.htm
- Valiela, I., J. Costa, K. Foreman, J. Teal, B. Howes, and D. Aubrey. 1990. Transport of groundwater-borne nutrients from watersheds and their effects on coastal waters. *Biogeochemistry*, 10:177-197.
- Valiela, I., K. Foreman, M. LaMontagne, D. Hersh, J. Costa, P. Peckol, B. DeMeo-Andreson, C. D'Avanzo, M. Babione, C.-H. Sham, J. Brawley, K. Lajtha. 1992. Couplings of watersheds and coastal waters: sources and consequences of nutrient enrichment in Waquoit Bay, Massachusetts. *Estuaries*, 15:443-457.
- Valiela, I., M. Geist, J. McClelland and G. Tomasky. 2000. Nitrogen loading from watersheds to estuaries: verification of the Waquoit Bay Nitrogen Loading Model. *Biogeochemistry*, 49: 277-293.
- Valiela, I., P. Peckol, D'Avanzo et al. 1998. Ecological effects of major storms on coastal watersheds and coastal waters: Hurricane Bob on Cape Cod. *Journal of Coastal Research* 14:218-238
- Van de Kreeke, J., 1988. "Chapter 3: Dispersion in Shallow Estuaries." In: *Hydrodynamics of Estuaries, Volume I, Estuarine Physics*, (B.J. Kjerfve, ed.). CRC Press, Inc. pp. 27-39.
- Weiskel, P.K. and B.L. Howes, 1991. Quantifying Dissolved Nitrogen Flux Through a Coastal Watershed. *Water Resources Research*, Volume 27, Number 11, Pages 2929-2939.
- Weiskel, P.K. and B.L. Howes. 1992. Differential transport of nitrogen and phosphorus from septic systems through a coastal watershed. *Environmental Science and Technology* 26: 352-360.
- WBNERR. 1996. *The Ecology of the Waquoit Bay National Estuarine Research Reserve*. M. Geist (Ed.), Waquoit Bay National Estuarine Research Reserve, Waquoit, Massachusetts.
- Zimmerman, J.T.F., 1988. "Chapter 6: Estuarine Residence Times." In: *Hydrodynamics of Estuaries, Volume I, Estuarine Physics*, (B.J. Kjerfve, ed.). CRC Press, Inc. pp. 75-84.