

---

---

## IX. REFERENCES

- Andrews, J.C. 1944. Map of Nantucket Harbor showing eelgrass colonies in the 1940's. Town of Nantucket Report.
- Applied Science Associates (C. Swanson and M. Ward). 2000. Computer Modeling of Nantucket Harbor: Project Summary. Final Report to the Town of Nantucket.
- Brawley, J.W., G. Collins, J.N. Kremer, C.-H. Sham, and I. Valiela. 2000. A time-dependent model of nitrogen loading to estuaries from coastal watersheds. *Journal of Environmental Quality* 29:1448-1461
- Brigham Young University (1998). "User's Manual, Surfacewater Modeling System."
- BUMP Study (I. Valiela, M. Cole, and J. York). 2000. Land-derived nitrogen loading to Nantucket Harbor. Boston University Marine Program, Draft Final Report to Applied Science Associates
- Burns, K., M. Ehrhardt, B. Howes and C. Taylor., 1993. Subtidal benthic community respiration and production rates near the heavily oiled coast of Saudi Arabia. *Marine Pollution Bull.* 27:199-205.
- Cambareri, T.C. and E.M. Eichner. 1998. Watershed Delineation and Ground Water Discharge to a Coastal Embayment. *Ground Water.* 36(4): 626-634.
- Cape Cod Commission Water Resources Office, 1991. Technical Bulletin 91-001, Nitrogen Loading.
- Cape Cod Commission Water Resources Office, 1998. Cape Cod Coastal Embayment Project Interim Final Report.
- Cape Cod Commission. 1996. "Monomoy Capacity Study, Summary Report".
- Cape Cod Commission. 2000. "Coastal Nitrogen Loading Project".
- Cape Cod Commission. 1993. "Monomoy Lens Groundwater Protection Project"
- Creighton, C. 1988. Natural and Man-made Resource Inventory of Nantucket and Madaket Harbors. Report to the Nantucket Land Council and Nantucket Harbor Planning Advisory Committee.
- Costa, J.E., B.L. Howes, I. Valiela and A.E. Giblin, 1992. Monitoring nitrogen and indicators of nitrogen loading to support management action in Buzzards Bay. In: McKenzie et al. (eds.) *Ecological Indicators*, Chapt. 6, pp. 497-529.
- Costa, J.E., G. Heufelder, S. Foss, N.P. Millham, B.L. Howes. 2002. Nitrogen Removal Efficiencies of Three Alternative Septic System Technologies and a Conventional Septic System. *Environment Cape Cod* 5(1): 15-24.

- Conant, K.L., 2006. Sesachacha Pond Annual Report 2005. Town of Nantucket Marine and Coastal Resource Department Annual Report
- Curley, T. 2004. Sesachacha Pond Annual Report. Town of Nantucket Marine and Coastal Resource Department Annual Report, pp. 8.
- DeSimone, L.A. and B.L. Howes. 1996. Denitrification and nitrogen transport in a coastal aquifer receiving wastewater discharge. *Environmental Science and Technology* 30:1152-1162
- D'Elia, C.F, P.A. Steudler and N. Corwin. 1977. Determination of total nitrogen in aqueous samples using persulfate digestion. *Limnology and Oceanography* 22:760-764.
- Dyer, K.R. (1997). *Estuaries, A Physical Introduction*, 2<sup>nd</sup> Edition, John Wiley & Sons, NY, 195 pp.
- Eichner, E.M. and T.C. Cambareri. 1992. Technical Bulletin 91-001: Nitrogen Loading. Cape Cod Commission, Water Resources Office, Barnstable, MA. Available at: <http://www.capecodcommission.org/regulatory/NitrogenLoadTechbulletin.pdf>
- Eichner, E.M., T.C. Cambareri, G. Belfit, D. McCaffery, S. Michaud, and B. Smith. 2003. Cape Cod Pond and Lake Atlas. Cape Cod Commission. Barnstable, MA.
- Eichner, E.M., T.C. Cambareri, K. Livingston, C. Lawrence, B. Smith, and G. Prahm. 1998. Cape Coastal Embayment Project: Interim Final Report. Cape Cod Commission, Barnstable, MA.
- Frimpter, M.H., J.J. Donohue, M.V. Rapacz. 1990. A mass-balance nitrate model for predicting the effects of land use on groundwater quality. U.S. Geological Survey Open File Report 88:493.
- Gardner, K.K. and R.M. Vogel. 2005. Predicting Ground Water Nitrate Concentration from Land Use. *Ground Water*, 43(3): 343-352.
- Henderson, F. M. (1966). *Open Channel Flow*. Macmillan Publishing Company, New York. pp. 96-101.
- Horsley, Witten Hegemann, Inc. Nantucket water Resources Management Plan, 1990. Prepared for the Nantucket Land Council.
- Howes, B.L. and D.D. Goehring, 1989. Nutrient Conditions in Sesachacha Pond. Final Report Woods Hole Oceanographic Institution to Aubrey Consulting Inc. pp. 24
- Howes, B.L. and D.D. Goehring, 1989. Preliminary water quality survey, Nantucket Harbor to Wauwinet Harbor. Woods Hole Oceanographic Institution Report to the Town of Nantucket, pp. 18.
- Howes, B.L. and C.T. Taylor., 1990 Nutrient Regime of New Bedford Outer Harbor: Infaunal Community Structure and the Significance of Sediment Nutrient Regeneration to Water Column Nutrient Loading. Final Technical Report to Camp, Dresser and McKee, Boston, Mass. for the City of New Bedford, Mass. and EPA. 140 pp.

- Howes, B.L. and D.D. Goehring, 1994. Nutrient status of the coastal salt ponds of Falmouth, Ma: Report of the Pondwatch Program.
- Howes BL. 1998. Sediment metabolism within Massachusetts Bay and Boston Harbor relating to rates and controls of sediment-water column exchanges of nutrients and oxygen in 1997. Boston: Massachusetts Water Resources Authority. Report 1998-20. 80 p
- Howes, B.L. and D.D. Goehring, 1996. The Ecology of Buzzards Bay: An Estuarine Profile. USFWS Community Profile Series Biological Report 31.
- Howes, B.L. and D.D. Goehring, 1997. Falmouth's Coastal Salt Ponds. Falmouth Pondwatch Program, 1987-1996.
- Howes, B.L., J.S. Ramsey and S.W. Kelley, 2001. Nitrogen modeling to support watershed management: comparison of approaches and sensitivity analysis. Final Report to MA Department of Environmental Protection and USEPA, 94 pp. Published by MADEP.
- Howes, B.L., R.I. Samimy, B. Dudley, 2003, Site Specific Nitrogen Thresholds for Southeastern Massachusetts Embayments: Critical Indicators Interim Report, Massachusetts Estuaries Project for the Massachusetts Department of Environmental Protection.
- Howes B., S. W. Kelley, J. S. Ramsey, R. Samimy, D. Schlezinger, J. Wood, E. Eichner (2004). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for Popponeset Bay, Mashpee and Barnstable, Massachusetts. Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes B., S. W. Kelley, J. S. Ramsey, R. Samimy, D. Schlezinger, E. Eichner (2003). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for Stage Harbor, Sulphur Springs, Taylors Pond, Bassing Harbor and Muddy Creek, Chatham, Massachusetts. Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes B., S. W. Kelley, J. S. Ramsey, R. Samimy, D. Schlezinger, J. Wood, E. Eichner (2004). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for Popponeset Bay, Mashpee and Barnstable, Massachusetts. Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA
- Howes B.L., J. Ramsey, E.M. Eichner, R.I. Samimy, S. W. Kelley, D.R. Schlezinger (2005). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for the Oyster Pond System, Falmouth, MA. SMAST/DEP Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes B., Trey Ruthven, J. S. Ramsey, R. Samimy, D. Schlezinger, E. Eichner (2005). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for Rushy Marsh Pond, Barnstable, Massachusetts. Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA.
- Howes B., S. W. Kelley, J. S. Ramsey, R. Samimy, D. Schlezinger, E. Eichner (2006). Linked Watershed-Embayment Model to Determine Critical Nitrogen Loading Thresholds for The Pleasant Bay System, Orleans, Chatham, Harwich and Brewster, Massachusetts.

Massachusetts Estuaries Project, Massachusetts Department of Environmental Protection. Boston, MA

- Howes, B.L, R. Samimy, D.S. White, 2006. Technical Basis for Development of Bacterial TMDL for Sesechacha Pond, Nantucket MA.
- Jaworski, N.A., 1984. Sources of nutrients and the scale of eutrophication problems in estuaries. In: Estuaries and Nutrients; B.J. Neilson and L.E. Cronin (Eds.); Humana Press: Clifton, N.J., pp. 83-110.
- Jaworski, N.A., P.M. Groffman, A.A. Keller, J.C. Prager. 1992. *Estuaries* 15:83-95.
- Jorgensen, B.B. 1977. The sulfur cycle of a coastal marine sediment (Limfjorden, Denmark). *Limnology Oceanography*, 22:814-832.
- Kelley, K.M., 1982. Eelgrass distribution on Nantucket. Town of Nantucket Health Department Report.
- Kelley, K.M., 1985. An update on the management of the Nantucket Bay scallop resource. Nantucket Marine Department.
- Kelly, K.M., 1988. The Management of Marine Resources in Sesachacha Pond. Shellfish and Marine Department, Nantucket, MA, 31 pp.
- Kelley, K.M., 1989. Distribution of Eelgrass in Nantucket Harbor, MA., Summer 1989. Town of Nantucket Health Department, Report, 12pp.
- King, Ian P., 1990. "Program Documentation - RMA2 - A Two Dimensional Finite Element Model for Flow in Estuaries and Streams." Resource Management Associates, Lafayette, CA.
- Klump, J. and C. Martens. 1983. Benthic nitrogen regeneration. In: *Nitrogen in the Marine Environment*, (Carpenter & Capone, eds.). Academic Press.
- Knott, J.F. and J.C. Olimpio, 1986. Estimation of Recharge Rates to the Sand and Gravel Aquifer Using Environmental Tritium, Nantucket Island, Massachusetts. US Geological Survey. Water Supply Paper 2297
- Koppelman, L.E. (Ed.). 1978. The Long Island comprehensive waste treatment management plan. Vol II. Summary documentation report, Long Island Regional Planning Board, Hauppauge, N.Y.
- Lindeburg, Michael R., 1992. *Civil Engineering Reference Manual, Sixth Edition*. Professional Publications, Inc., Belmont, CA.
- Lurbano, L.D., October, 2001. The Impact of Climatic Change on Ground Water Systems. Thesis submitted for partial fulfillment of requirements for Ph.D. at the University of Minnesota. M.Person, Advisor. (listed at <http://des.memphis.edu/lurbano/thesis/thesis.html#thesisli2.html>)

- Massachusetts Department of Environmental Protection, 1999. DEP Nitrogen Loading Computer Model Guidance. Bureau of Resource Protection. Boston, MA. Available at: <http://www.state.ma.us/dep/brp/dws/techtool.htm>
- Massachusetts Department of Revenue, November, 2002. Property Type Classification Codes.
- Malone, T.C., 1992. Effects of Watercolumn Processes on Dissolved Oxygen, Nutrients, Phytoplankton and Zooplankton. In: Oxygen Dynamics in the Chesapeake Bay: A Synthesis of Research; D.E. Smith, M. Leffler and G. Mackiernan (Eds.); Maryland Sea Grant College Publishers, pp. 61-112.
- Michael T. Hoover, Ph.D. 1997. A Framework for Site Evaluation, Design, and Engineering of On-Site Technologies Within a Management Context".
- Millham, N. and B.L. Howes, 1993. Nutrient balance of a shallow coastal embayment: I. Patterns of groundwater discharge. *Marine Ecology Progress Series* 112: 155-167.
- Millham, N.P. and B.L. Howes, (1994a). Freshwater flow into a coastal embayment: groundwater and surface water inputs. *Limnology and Oceanography* 39: 1928-1944.
- Millham, N.P. and B.L. Howes (1994b). Patterns of groundwater discharge to a shallow coastal embayment. *Marine Ecology Progress Series* 112:155-167.
- Murphy, J. and J.P. Reilly, 1962. A Modified Single Solution Method for the Determination of Phosphate in Natural Waters. *Analytica Chemica Acta*, v. 27, p. 31-36
- Nantucket Harbor Watershed Work Group Report. 2003
- Nelson, M.E., S.W. Horsley, T.C. Cambareri, M.D. Giggey and J.R. Pinnette. 1998. Predicting nitrogen concentrations in groundwater- An analytical model. Focus Conference on Eastern Groundwater Issues, National Water Well Association, Stamford, CT.
- Norton, W.R., I.P. King and G.T. Orlob, 1973. "A Finite Element Model for Lower Granite Reservoir", prepared for the Walla Walla District, U.S. Army Corps of Engineers, Walla Walla, WA.
- Oldale R., R.N. Barlow, 1986. Geologic Map of Cape Cod and the Islands. Miscellaneous Investigations Series. U.S. Geological Survey Map I-1763.
- Oldale, R. and O'Hara, 1980. New radiocarbon dates from the inner continental shelf of southeastern Massachusetts and a local sea-level-rise curve for the past 12,000 yr. *Geology* 8: 61-74.
- Olinger, S.V., J.D. Aber, G.M. Lovett, S.V. Millham, R.G. Lathrop, J.M. Ellis, 1993. A spatial model of atmospheric deposition for the northeastern U.S. *Ecological Applications* 3: 459-472.
- Perkins Jordan, Inc., 1985. Hydrogeologic Investigation of Sesachacha Pond. Draft Report.
- Ramsey, J.S., B.L. Howes, S.W. Kelley, and F. Li, 2000. "Water Quality Analysis and Implications of Future Nitrogen Loading Management for Great, Green, and Bournes

- Ponds, Falmouth, Massachusetts.” Environment Cape Cod, Volume 3, Number 1. Barnstable County, Barnstable, MA. pp. 1-20.
- Ramsey, J.S., B.L. Howes, N.P. Millham, and D. Bourne. 1995. Hydrodynamic and water quality study of West Falmouth Harbor, Falmouth MA. Aubrey Consulting Inc. Technical Report for Town of Falmouth, pp. 81.
- Ramsey, John S., Jon D. Wood, and Sean W. Kelley, 1999. “Two Dimensional Hydrodynamic Modeling of Great, Green, and Bournes Ponds, Falmouth, MA.” Applied Coastal Research and Engineering, Inc. report prepared for the Town of Falmouth and Horsley & Witten, Inc. 41 pp.
- Rhoads, D.C. and J.D. Germano. 1986. Interpreting long-term changes in benthic community structure: a new protocol. *Hydrobiologia* 142:291-308
- Robertson, W.D., J.D. Cherry, and E.A. Sudicky. 1991. <sup>3</sup>Ground-Water Contamination from Two Small Septic Systems on Sand Aquifers.<sup>2</sup> *Ground Water*. 29(1): 82-92.
- Rosen, P., 1975. Origin and Processes of Cuspate Spit Shorelines. *Estuarine Research II*: 77-92.
- Ryther, J.H., and W.M. Dunstan. 1971. Nitrogen, phosphorous and eutrophication in the coastal marine environment. *Science*, 171:1008-1012
- Scheiner, D., 1976. Determination of Ammonia and Kjeldahl Nitrogen by Indophenol Method. *Water Research*, v. 10, p. 31-36.
- Shepard, F.C. Waquoit Bay National Estuarine Research Reserve. 1996. "Managing Wastewater: Prospects in Massachusetts for a Decentralized Approach".
- Shepard, F.C. Waquoit Bay National Estuarine Research Reserve, 1996. "A Massachusetts Guide to Needs Assessment and Evaluation of Decentralized Wastewater Treatment Alternatives".
- Smith, R.L., B.L. Howes and J.H. Duff. 1991. Denitrification in nitrate-contaminated groundwater: occurrence in steep vertical geochemical gradients. *Geochimica Cosmochimica Acta* 55:1815-1825
- Smith, K.N. and B.L. Howes, 2006. Attenuation of watershed nitrogen by a small New England salt marsh. Manuscript in review
- Parkinson, M.G., and D.D. Stretch, 2006. Breaching Timescales and Peak Outflows for Perched, Temporary Open Estuaries. *Coastal Engineering Journal* 16:4 p. 1
- Taylor, C.D. and B.L. Howes, 1994. Effect of sampling frequency on measurements of seasonal primary production and oxygen status in near-shore coastal ecosystems. *Marine Ecology Progress Series* 108: 193-203.
- US Army Corps of Engineers, Engineer Research and Development Center, Waterways Experiment Station, Coastal and Hydraulics Laboratory, Users Guide To RMA4 WES Version 4.5, June 05, 2001.

- USGS web site for groundwater data for Massachusetts and Rhode Island:  
[http://ma.water.usgs.gov/ground\\_water/ground-water\\_data.htm](http://ma.water.usgs.gov/ground_water/ground-water_data.htm)
- Vanek, V., 1993. Groundwater regime of a tidally influenced coastal pond. *J. Hydrology* 151: 317-342.
- Van de Kreeke, J., 1988. "Chapter 3: Dispersion in Shallow Estuaries." In: *Hydrodynamics of Estuaries, Volume I, Estuarine Physics*, (B.J. Kjerfve, ed.). CRC Press, Inc. pp. 27-39.
- Walter, D.A., A. Whealan, 2004. Simulated Water Sources and Effects of Pumping on Surface and Ground Water, Sagamore and Monomoy Flow Lenses, Cape Cod, Massachusetts. USGS Scientific Investigations Report 2004-5181
- Weiskel, P.K. and B.L. Howes, 1991. Dissolved nitrogen flux through a small coastal watershed. *Water Resources Research* 27: 2929-2939.
- Weiskel, P.K. and B.L. Howes, 1992. Differential transport of nitrogen and phosphorus from septic systems through a coastal watershed. *Environmental Science and Technology* 26: 352-360.
- WHOI Nantucket Harbor Study (B.L. Howes, D.D. Goehring, N.P. Millham, D.R. Schlezinger, G.R. Hampson, C.D. Taylor and D.G. Aubrey). 1997. Nantucket Harbor Study: A quantitative assessment of the environmental health of Nantucket Harbor for the development of a nutrient management plan. Woods Hole Oceanographic Institution Final Report to the Town of Nantucket, 140 pp.
- Wood, J.D., J.S. Ramsey, and S. W. Kelley, 1999. "Two-Dimensional Hydrodynamic Modeling of Barnstable Harbor and Great Marsh, Barnstable, MA." Applied Coastal Research and Engineering, Inc. report prepared for the Town of Barnstable. 28 pp.
- Zimmerman, J.T.F., 1988. "Chapter 6: Estuarine Residence Times." In: *Hydrodynamics of Estuaries, Volume I, Estuarine Physics*, (B.J. Kjerfve, ed.). CRC Press, Inc. pp. 75-84.